

## **DRINKING WATER TEST LABORATORIES**

The following is an alphabetic listing (by county) of laboratories that are certified to analyze water samples for regulatory testing. This list is not an endorsement or recommendation for the laboratories. It is only provided to show laboratories that are located in the general vicinity of farm labor housing. Please note that some laboratories may only provide limited testing. Please contact the laboratory to discuss your testing needs.

### **Adams County**

WADOH ID: 109

Laboratory Contact: Eugene Kuo (Chem) - Alma Barajas (Micro)

Laboratory Name: Kuo Testing Laboratory

Laboratory Address: 337 South First Ave; Othello, WA 99344

Phone: 800-328-0112

FAX: (509) 488-0118

Inorganics: All IOC's, pH units, alkalinity, calcium, o-phosphate, & aluminum

Organics: None

Microbiology:

Total Coliform Rule:

SVF (PA Broth), CF (Colisure)

### **Benton County**

WADOH ID: 062

Laboratory Contact: Dave Miller (Chem & Micro)

Laboratory Name: Benton-Franklin Health District

Laboratory Address: 471 Williams Blvd; Richland, WA 99352-3264

Phone: (509) 943-2614 #234

FAX: (509) 546-2916

Inorganics: pH units, fluoride, nitrate-N, residual free chlorine, TDS, & Nitrite - N

Organics: None

Microbiology:

Total Coliform Rule:

MTF, CF (Colilert)

Surface Water Treatment Rule:

MTF, CF (quantitray), HPC

## **Benton County Continued**

WADOH ID: 027

Laboratory Contact: T.E. Northstrom

Laboratory Name: Energy Northwest /Environmental. & Analytical Support MS-1025

Laboratory Address: Plant Support Facility/ North Power Plant Loop; PO Box 968; Richland, WA 99352-0968

Phone: (509) 377-8462

FAX: (509) 377-8530

Inorganics: All IOC's (EXCEPT color, sodium, zinc, & cyanide), pH units, chloride, alkalinity, calcium, o-phosphate, boron & molybdenum

Organics: None

Microbiology:

Total Coliform Rule

CF (Colilert)

WADOH ID: 115

Laboratory Contact: Bob Sickles

Laboratory Name: NW Agricultural Consultants

Laboratory Address: 2545 West Falls; Kennewick, WA 99336

Phone: (509) 783-7450

FAX: (509) 783-5305

Inorganics: copper, lead, nitrate-N, & nitrite-N only

Organics: None

Microbiology: None

WADOH ID: 028

Laboratory Contact: Jodie Carnes

Laboratory Name: Severn Trent Laboratories Inc.

Laboratory Address: 2800 George Washington Way; Richland, WA 99352

Phone: (509) 375-3131

FAX: (509) 375-5590

Inorganics: None

Organics: None

Microbiology: None

Radionuclides: Gross Alpha/Beta, tritium, radium-226/228, strontium 89/90, uranium, iodine-131, & cesium 134/137

## **Chelan County**

WADOH ID: 105

Laboratory Contact: Laura L.Mrachek (Chem) - Jennifer Downs (Micro)

Laboratory Name: Cascade Analytical Inc.

Laboratory Address: 3019 GS Center Road; Wenatchee, WA 98801

Phone: (509) 662-1888

FAX: (509) 662-8183

Inorganics: All IOC's, pH units, alkalinity, calcium, residual free chlorine, o-phosphate, & aluminum

Organics: None

Microbiology:

Total Coliform Rule:

MTF, MF, CF (Colilert)

Surface Water Treatment Rule:

MTF, MF

WADOH ID: 133

Laboratory Contact: Jayne Stommer

Laboratory Name: Wenatchee, (City of ) Water Resource

Laboratory Address: 25 North Worthen, PO Box 519; Wenatchee, WA 98807-0519

Phone: (509) 664-3387

FAX:

Inorganics: None

Organics: None

Microbiology:

Total Coliform Rule:

CF (Colilert)

## **Clark County**

WADOH ID: 144

Laboratory Contact: Carl Addy

Laboratory Name: Addy Lab of Southwest Washington

Laboratory Address: 2517 East Evergreen Blvd, PO Box 719; Vancouver WA 98666

Phone: (360) 750-0055

FAX: (360) 750-0057

Inorganics: Nitrate-N only

Organics: None

Microbiology:

Total Coliform Rule:

CF (Colilert)

## **Cowlitz County**

WADOH ID: 017

Laboratory Contact: Lee Wolf (Chem & Micro)

Laboratory Name: Columbia Analytical Services

Laboratory Address: 1317 South 13th Ave. PO Box 479; Kelso, WA 98626

Phone: (360) 577-7222

FAX: (360) 636-1068

Inorganics: All IOC's, pH units, alkalinity, calcium, boron, molybdenum, residual free chlorine, o-phosphate, & silica

Organics: VOC, THM (502.2/524.2), Herbicides (515.1), & EDB/DBCP (504.1)

Microbiology:

Total Coliform Rule:

MTF, CF (Colilert)

Surface Water Treatment Rule:

MTF, CF (quantitray), HPC

WADOH ID: 068

Laboratory Contact: Guy Bodin

Laboratory Name: Cowlitz County Health District

Laboratory Address: 1952 9<sup>th</sup> Ave., Longview, WA 98632

Phone: (360) 414-5579

FAX: (360) (425) 7531

Inorganics: None

Organics: None

Microbiology:

Total Coliform Rule:

CF (Colilert)

## **Douglas County**

WADOH ID: 065

Laboratory Contact: Linda Conard (Micro)

Laboratory Name: Chelan-Douglas Health District

Laboratory Address: 200 Valley Mall Pkwy; East Wenatchee, WA 98802-2887

Phone: (509) 886-6400

FAX: (509) 886-6436

Inorganics: None

Organics: None

Microbiology:

Total Coliform Rule:

MTF, CF (Colilert, Colisure)

Surface Water Treatment Rule: MTF

## **Franklin County**

WADOH ID: 049

Laboratory Contact: Jennifer Kinkead

Laboratory Name: US Ag Analytical Service, Inc.

Laboratory Address: 1320A East Spokane Street; Pasco, WA 99301

Phone: (509) 547-3838

FAX: (509) 547-8645

Inorganics: Nitrate-N

Organics: None

Microbiology: None

## **Grant County**

WADOH ID: 116

Laboratory Contact: Brent Thyssen

Laboratory Name: Soiltest Farm Consultants

Laboratory Address: 2925 Wapato Drive; Moses Lake, WA 98837

Phone: (509) 765-1622

FAX: (509) 765-0314

Inorganics: Nitrate-N, Nitrite-N, & fluoride

Organics: None

Microbiology: None

## **Kititas County**

WADOH ID: 064

Laboratory Contact: Jody Scheffeimaier or Arlene Carter

Laboratory Name: Central Washington University

Laboratory Address: Dept. of Biological Sciences; Ellensburg, WA 98926

Phone: (509) 963-3013

FAX: (509) 963-3014

Inorganics: None

Organics: None

Microbiology:

Total Coliform Rule:

MTF, CF (Colilert)

Surface Water Treatment Rule:

MTF, HPC

## **Klickitat County**

WADOH ID: 013

Laboratory Contact: Karen Skiles

Laboratory Name: Valley View Enterprises

Laboratory Address: 3148 Valley View Drive; The Dalles, OR 97058

Phone: (541) 296-5849

FAX: (541) 296-2081

Inorganics: Nitrate-N only

Organics: None

Microbiology:

Total Coliform Rule:

MTF, MF, CF (Colilert)

Surface Water Treatment Rule:

MPC, CF (Quqntitray)

## **Okanogan County**

WADOH ID: 093

Laboratory Contact: Jacqueline E. Bellinger

Laboratory Name: Okanogan County Health Department

Laboratory Address: 1234 South Second; PO Box 231; Okanogan, WA 98840-0231

Phone: (509) 422-7140

FAX: (509) 422-7142

Inorganics: Nitrate-N, fluoride

Organics: None

Microbiology:

Total Coliform Rule:

CF (Colilert)

## **Skagit County**

WADOH ID: 046

Laboratory Contact: Larry Henderson

Laboratory Name: Edge Analytical

Laboratory Address: 11525 Knudson; Burlington, WA 98233

Phone: 800-755-9295

FAX: (360) 757-1402

Inorganics: All IOC's, pH units, alkalinity, calcium, silica, o-phosphate, molybdenum, & aluminum

Organics: VOC, THM (524.2), Herbicides (515.1), PAH, Adipates & Phthalates (525.2),

Carbamates (531.1), EDB/DBCP (504.1), Endothall (548.1), PCB (508), Insecticides (EXCEPT glyphosate) (525.2), Diquat (549.2), HAA's (552.2)

Microbiology: None

## **Skagit County Continued**

WADOH ID: 090

Laboratory Contact: Cherry Fox

Laboratory Name: Skagit County Health Department ; Courthouse Administration Building;  
Room 301

Laboratory Address: 700 South Second Street; Mt. Vernon, WA 98273

Phone: (206) 731-8950

FAX:

Inorganics: None

Organics: None

Microbiology:

Total Coliform Rule:

MTF, SVF (PA Broth), CF (Colilert)

Surface Water Treatment Rule:

MTF, CP (quantitray)

## **Walla Walla County**

WADOH ID: 143

Laboratory Contact: Tom Krebbs (Micro)

Laboratory Name: Mill Creek Water Treatment Plant

Laboratory Address: 581 Mill Creek Road; Walla Walla, WA 99362

Phone: (509) 527-4509

FAX: (509) 527-3747

Inorganics: None

Organics: None

Microbiology:

Total Coliform Rule:

CF (Colilert)

Surface Water Treatment Rule:

MFC, HPC

WADOH ID: 082

Laboratory Contact: Dave Eaton or Jeanette Lightfoot (Chem & Micro)

Laboratory Name: Walla Walla County/City Health Lab

Laboratory Address: PO BOX 1753; Walla Walla, WA 99362-1753 (physical location) 310  
West Poplar

Phone: (509) 527-3290

FAX: (509) 527-3264

Inorganics: Nitrate-N

Organics: None

Microbiology:

Total Coliform Rule:

CF (Colilert)

## **Whatcom County**

WADOH ID: 057

Laboratory Contact: Madell Briggs- Carol Bissell (Micro)

Laboratory Name: Avocet Environmental Testing

Laboratory Address: 1500 North State Street; Suite 200; Bellingham, WA 98225-4515

Phone: 800-227-9427

FAX: (360) 734-0467

Inorganics: All IOC's, pH units, alkalinity, calcium, o-phosphate, residual free chlorine, & chloride

Organics: None

Microbiology:

Total Coliform Rule:

MTF, MF, CF (Colilert)

Surface Water Treatment Rule:

MTF, MF, HPC

WADOH ID: 060

Laboratory Contact: Peg Wendling (Micro)

Laboratory Name: Bellingham Water Filtration Plant

Laboratory Address: 2221 Pacific Street; Bellingham, WA 98226

Phone: (360) 676-7689

FAX: (360) 647-6352

Inorganics: None

Organics: None

Microbiology:

Total Coliform Rule:

MF, CF (Colilert)

Surface Water Treatment Rule:

MFC, HPC

WADOH ID: 058

Laboratory Contact: Allan Britten or Kent Oostra

Laboratory Name: Udder Health Systems, Inc.

Laboratory Address: 6401 Old Guide Road; Bellingham, WA 98226

Phone: (360) 398-1360

FAX:

Inorganics: None

Organics: None

Microbiology:

Total Coliform Rule:

MTF, MF, CF (Colilert)

Surface Water Treatment Rule:

MTF, MF, MFC, HPC, CF (colilert)

EPA approved for MPA testing.



## **Yakima County**

WADOH ID: 014

Laboratory Contact: Holly Meyers (Chem & Micro)

Laboratory Name: Laucks Yakima Testing Labs

Laboratory Address: 1106 Ledwich Ave; Yakima, WA 98902

Phone: (509) 248-4695

FAX: (509) 452-1265

Inorganics: pH units, color, conductivity, nitrite-N, o-phosphate, residual free chlorine, TDS, turbidity,

nitrate-N, chloride, & sulfate

Organics: None

Microbiology:

Total Coliform Rule:

MTF, CF (Colilert)

Surface Water Treatment Rule:

MTF, HPC, CF (quantitray)

## **PUBLIC WATER SYSTEM AND LOCAL HEALTH DIST. REVIEWS**

**Applications involving the development of new water sources (wells - etc.) should contact the appropriate local county health departments for water system approval (including well site approvals). For your convenience, please see the following phone list:**

<b><u>COUNTY</u></b>	<b><u>PHONE NUMBER</u></b>
ADAMS	509-659-3315
BENTON	509-582-7761
CHELAN	509-886-6450
CLARK	360-397-8215
COLUMBIA	509-382-2181
COWLITZ	360-414-5599
DOUGLAS	509-886-6450
FRANKLIN	509-582-7761
GRANT	509-754-6060
KITTITAS	509-962-7515
KLICKITAT	509-773-4565
LEWIS	360-740-1223
OKANOGAN	509-422-7140
SKAGIT	360-336-9380
SNOHOMISH	425-339-5210
WALLA WALLA	509-795-6207
YAKIMA	509-575-4040